

## Maximize window covering performance and control natural light with the Roll Up WireFree™ motor range.

The Roll Up WireFree™ Series motors are uniquely designed to automate various types of roller and roman products at the simple touch of a button.



**Sheer Horizontal Shades** The reverse tilt feature is ideal for sheer horizontal shade applications and allows for precise positioning of sheer slats.



Roller/Solar Shades Adaptable to standard and cassette style roller shade applications.



Roman/Woven Shades Easily concealed and perfect for roman and woven shade applications.



- Built-in Radio Technology Somfy<sup>®</sup> (RTS) control
- Compatible with full range of Somfy RTS controls
- Programmable limit (stop) settings via transmitter or wall switch
- Multi-channel radio capability with individual and group control

### Radio Technology Somfy® (RTS)

**Revolutionizing home comfort control** 

A patented radio control platform which enables users to adjust window coverings from a distance of 65 ft. without the need to point or aim the transmitter.

More than 3 million installations throughout the world.

# Radio Technology Somfy® RTS Controls

Control individual shades or individual groups of shades with multi-channel controls.



Telis Composio Twenty Channel



**Impresario Timer** Multi Channel Timer with on-screen display



DecoFlex WireFree™ Wall Switch **Five Channel** White Finish



1,2,3 & 4 Channel Versions also available

Choice of finish: Ivory and Black



### **Roll Up WireFree™ Motor Specifications**

Shade Size (Max)*	Solar Screens	Sheer Horizontal	Roman Type Shades		
	10%: 72"x104"	Light Filtering: 144"x132"	Various: Up to 15lbs		
	5%: 72"x96"	Room Darkening: 114"x132"			
	3%: 72"x72"				
Compatible Tubes	RollEase 1.5", RollEase	RollEase 1.5", RollEase 1.25", Silhouette™, Shangri-La™, Vienna, Louvolite 1 5/8"			
Voltage	12 VDC				
Current	1 A				
Power	8AA Lithium Batteries or 12V DC Plug-in Transformer				
Limit Setting	Electronic encoder based				
Radio Frequency (built-in)	433 Mhz (applies to RTS motor #1000637)				
Motor Dimensions	Length: 10.4in. (264mm); Minimum Tube ID 1.2in. (30mm)				
Speed	27 rpm	27 rpm			
Torque	1 Nm 8.8				

<sup>\*</sup>Solar Screens: Based on use of RollEase 1.5" tube specifications. Sheer Horizontals: Consult with manufacturer for maximum size availability.

#### **Motor & Accessories**

Catalog	Description	Catalog	Description
1000637	Roll Up WireFree™ Motor, Radio Technology Somfy® (RTS)	9014046	Crown and Drive Pack, Louvolite 1 5/8" Tube
1000679	Roll Up WireFree™ Motor, Infrared	9015288	IR Receiver Eye, Black, 10in
9013487	Crown and Drive Pack, RollEase 1.25" Tube	1822192	12V DC Plug-In Transformer
9013488	Crown and Drive Pack, RollEase 1.5" Tube	9014020	12V Reloadable Battery Tube (batteries not included)
9013489	Crown and Drive Pack, Silhouette™ (post March 04')	9014834	8 AA Lithium Battery Package
9013486	Crown and Drive Pack, Shangri-La™ /Vienna Tube	9014406	Crown and Drive Pack, Acmeda 44mm Tube
Power Section — 9014535 IR Receiver Eye, White, 10in			

Use of transformer is recommended for larger size shades.





Somfy Systems, Inc.
North America Headquarters
47 Commerce Drive
Cranbury NJ 08512
(P) 877-43S0MFY
(P) 609 395 1300
(E) 609 395 1776

Florida 6100 Broken Sound Pkwy, N.W. Suite 14 Boca Raton, FL 33487 (P) 877-43S0MFY (P) 561 995 8376 (F) 561 995 7502

California 15291 Barranca Pkwy Irvine, CA 92618 (P) 877-43SOMFY (F) 949 727 3775

Somfy ULC Somfy Canada 6315 Shawson Drive Unit 1 Mississauga, Ontario L5T1J2 (P) 800 667 6639 (P) 905 564 6446

